



地址: 苏州高新区浒关工业园浒青路1号
电话: 0512-87668527
传真: 0512-87668190

Add: No.1 Xuqing Road,Xuguan Industrial Park,SND,Suzhou
Tel: +86-512-87668527
Fax: +86-512-87668190



苏州海迈汽车防护材料有限公司 可靠，源自专业

Suzhou HiMax Auto Protective Material Co., Ltd Reliable From Professional



——中国最优秀的车蜡供应商
The best car specialty wax supplier in China



目录 CONTENTS

◎ 董事长致辞 / 企业简介	01/02
◎ 汽车防护整体解决方案	03/04
◎ 整车厂应用	05/08
◎ 汽车配套市场应用	09/10
◎ 汽车售后市场应用	11/16



董事长致辞 CEO ADDRESS

感谢阁下对泰尔的支持与厚爱！

坐落在中国历史文化名城苏州市，苏州海迈汽车防护材料有限公司秉承江苏泰尔新材料股份有限公司一贯的企业文化和经营理念，延续泰尔始终如一的专业标准，以高品质的汽车防护蜡和应用技术帮助您改善生活内涵和提升经营业绩。

我们将确保泰尔使人们生活的更安全、更健康、更美好！


仅致以泰尔公司衷心的问候！

Thank you for your support and high attention.

Located in Suzhou, one of famous historical and cultural cities in China, Suzhou HiMax Auto Protective Material Co., Ltd has been adhering to its mother corporate - Jiangsu Taier Novel material Co., Ltd., culture and business operation philosophy, while continue to pursue for professional standards. With high quality of Automotive Protective Wax and application technology, we help to improve your life as well as your business performance.

We will ensure people's lives are safer, healthier, more beautiful!

Sincerely,

总裁: 

CEO: Liyi

企业简介 COMPANY INTRODUCTION

HiMax[®] 汽车防护蜡---您能感觉到的优质产品
Automotive Protective Wax - can feelings of the high quality product

苏州海迈汽车防护材料有限公司（以下简称“苏州海迈”），是江苏泰尔新材料股份有限公司的全资子公司，拥有国际先进的产品研发能力、全项目的产品质量检验方法、国际一流的DCS生产控制系统和专业快捷的客户服务流程。目前的应用技术和产品主要应用于汽车主机厂、汽车配套市场、售后市场以及工程机械和工业领域等。

质量是我们的生命。公司以精益求精，以质取胜的质量方针贯穿于产品研发、供应商管理、生产、销售、物流及售后服务的整个业务链。先后通过了ISO9001、ISO14001、ISO16949等质量体系的认证和审核。

我们致力于向客户提供综合系统的解决方案为客户提升生产力，应用我们的专业知识和技术优势为客户提升价值，发展绿色环保和低使用成本的新技术为客户节能减排，通过我们的技术、品牌和服务，成为全球供应商的选择。

Suzhou HiMax Auto Protective Material Co., Ltd (hereinafter referred to as the "HiMax"), is wholly-owned by Jiangsu Taier Novel material co., Ltd., has the worldwid advanced research & development ability, the comprehensive quality inspection system, state-of-the-art DCS production control system and professional and prompt customer service process. Current products are mainly applying for Auto Makers, automotive parts market, automotive aftermarket, engineering machinery and industrial fields,etc.

Quality is our life. Company always adheres to pursue for excellence. Our quality policy of "winning by high quality" is fully embeded in whole business process include, R&D, supplier management, production, sales, logistic as well as customer service,etc. We are the ISO9001、ISO14001、ISO16949 certified company.

We are dedicated to provide customers with the comprehensive and systematic solution in order to enhance the competitive ability for our clients. We committ to bring better value to our clients by bring our professional knowledge and technological advantage, to reduce emission and save energy thru develop green environmental protection solution and less consumption cost technologies , to be your global trustful supplier thru our technology, brand and service.

HiMax[®]
汽车防护蜡 可靠，源自专业

➤ 汽车防护整体解决方案

HiMax is a Full-Scale Automotive Corrosion & Rust Protection Solution Provider

苏州海迈汽车防护材料有限公司作为国内领先的汽车防护蜡制造商，提供多样化的技术，满足汽车原机厂、配套零部件厂商以及汽车售后美容养护的需求。



发动机防腐蜡应用
Engine compartment wax application


消音蜡应用

Sound damping wax application



养护应用

Vehicle maintenance application



铰链合页蜡应用
Door hinge wax application



空腔防腐蜡应用
Cavity wax application



底盘防腐蜡应用
Chassis wax application



→ 整车厂应用

Auto OEM Application



汽车空腔防腐蜡

Cavity Waxes

性能：

- 蜡液稳定性好，均匀无结晶析出，喷雾性好，不流淌
- 蜡膜附着力强，对于汽车内腔部件的折叠层、凸缘和裂缝都具有很好的渗透性
- 优良的防锈性能，而且不影响目前用于汽车行业的清漆涂层、橡胶和塑料部件

Product Benefits

- Good stability, none-crystallize, reliable spray tech
- Strong adhesion of wax film and high permeability for folded layer, flange and aperture of car cavity surface
- Excellent anti-rust function

用途：

- 适用于汽车门边、内腔各部件的防锈、防腐

Product Purpose

- Designed for rust and corrosion prevention of car door and inner cavity surface

型号：

- HP63系列（溶剂型）
- HP23系列（水基型）
- HP93系列（100%纯蜡）
- HP100系列（热浸型）

Product Series

- HP63XX: Solvent based waxes
- HP23XX: Water-borne waxes
- HP93XX: 100% pure waxes
- HP100X: Flood waxes



汽车底盘防腐蜡（乘用车/商用车）

Chassis Waxes

性能：

- 蜡液稳定性好，均匀无结晶析出
- 蜡膜为弹性硬膜，具有良好的附着力
- 优良的防锈性能和抗碎石击打性能
- 达到规定涂层厚度时，无流失和滴落的特性
- 具有良好的高低温适应性，满足汽车的高低温使用要求

Product Benefits

- Good stability, none-crystallize
- Hard elastic wax film with excellent adhesion
- Great anti-rust and anti-corrosion function
- No dripping at the specified thickness
- Excellent heat resistance performance

用途：

- 适用于乘用车的底盘防锈、防腐

Product Purpose


- Designed for rust and corrosion prevent Of automotive chassis

型号：

- HP62系列（溶剂型）
- HP23系列（水基型）
- HP92系列（100%纯蜡型）

Product Series

- HP62XX: Solvent based waxes
- HP23XX: Water-borne waxes
- HP92XX: 100% pure waxes



发动机防腐蜡（出口车防锈蜡）

Engine Compartment Waxes

性能：

- 蜡液为溶剂型的分散体，高固含量
- 一次喷涂即可达到成膜厚度，具有良好的附着力
- 优良的防锈性能和抗碎石击打性能
- 达到规定的涂层厚度时，无流失和滴落的特性
- 具有良好的高低温适应性，满足汽车的高低温使用要求

Product Benefits

- Solvent based wax, high solid content
- Good adhesion ability, can reach film thickness by spray once only
- No dripping at the specified thickness
- Excellent heat resistance performance

用途：

- 适用于汽车发动机的防锈、防腐蚀

Product Purpose

- Designed for rust and corrosion prevent of engine compartment

型号：

- HP52系列（溶剂型）
- HP61系列（水基型）

Product Series

- HP52XX: Solvent based waxes
- HP61XX: water-borne waxes



铰链合页蜡

Door Hinge Waxes

性能：

- 100%固体份，无溶剂
- 优异的表面附着性以及渗透性
- 防腐性能优异，干膜牢固
- 可通过加热使蜡凝固，防止流淌和滴落

Product Benefits

- 100% solid, solvent free
- Excellent surface adhesion and permeability
- Excellent anticorrosive performance
- Drop stop performance

用途：

- 适用于汽车门边合页、铰链的防锈、防腐蚀

Product Purpose

- Suitable for rust and corrosion prevention of auto door hinge

型号：

- HP90系列（100%纯蜡型）
- HP51系列（自喷型）

Product Series

- HP90XX: 100% pure waxes
- HP51XX: spray waxes



→ 汽车配套市场应用

Auto Accessories Market Application



座椅消音蜡

Sound Damping Waxes

性能:

- 能有效粘附于聚氨酯表面并极好的渗透到内部
- 提供极好的内外润滑效果
- 有效消除软泡表面同金属骨架的摩擦噪音

Product Benefits

- Good adhesive on the surface of polyurethane and effectively permeate into inside small space
- Provide excellent lubrication effect for both inside and outside surface
- Effectively eliminate the friction noise between the soft surface and metal frame

用途:

- 主要用于脱模后聚氨酯发泡材料表面消音处理

Product Purpose

- Designed for sound damping of polyurethane foaming material for car seat

型号:

- HP61系列 (水基型)

Product Series

- HP61XX: Water-borne waxes



自喷防锈蜡

Portable Anti Rust Waxes

性能:

- 蜡液稳定性好, 均匀无结晶析出, 喷雾性好, 不流淌
- 蜡膜附着力强, 对于施工表面的折叠层、凸缘和裂缝都具有很好的渗透性
- 优良的防锈性能, 而且不影响产品表面外观

Product Benefits

- Good stability, none-crystallize, reliable spray tech
- Strong adhesion of wax film and high permeability for folded layer, flange and aperture of object
- Excellent anti-rust function, do not affect the original appearance

用途:

- 适用于工程机械、家电等缝隙部位的防锈、防腐

Product Purpose

- Designed for rust and corrosion prevention of machinery flange

型号:

- HP51系列 (溶剂型)
- HP23系列 (水基型)

Product Series

- HP51XX: Solvent based waxes
- HP23XX: Water-borne waxes



➔ 汽车售后市场应用

Auto Aftermarket Application



经典紫晶硬蜡

Crystal Waxes

性能:

- 多重保护, 效用持久
- 深层护理, 彻底洁亮
- 快捷安全, 简单方便
- 抗UV
- 防水

Product Benefits

- Multiple protection, great durability
- Deep care, bright thoroughly
- Fast and safe, easy and convenient
- Anti-UV
- Waterproof Properties

用途:

- 适用于任何漆面
- 一次使用效果可维持10-15次洗车

Product Purpose


- Be applicable to any paint surface
- Can maintain 10 to 15 times car wash for one time polish

型号:

- HP81系列

Product Series

- HP81XX



高效紫晶釉

Ultra High Amethyst glaze

性能:

- 多重保护, 效用持久
- 深层护理, 彻底洁亮
- 快捷安全, 简单方便
- 抗UV
- 防水

Product Benefits

- Multiple protection, great durability
- Deep care, bright thoroughly
- Fast and safe, easy and convenient
- Anti-UV
- Waterproof

用途:

- 适用于任何漆面
- 一次使用效果可维持10-15次洗车

Product Purpose

- Be applicable to any paint surface
- Can maintain 10 to 15 times car wash for one time polish parts

型号:

- HP82系列

Product Series

- HP82XX



搜狐用车频道 auto.sohu.com/ycxz

至尊美容粗蜡

Extreme rubbing Compound

性能：

- 去除汽车深度、中度划痕
- 去除P1000-1200号砂纸的砂痕
- 去除未伤底漆的重度划痕及严重氧化层

Product Benefits

- Remove heavy & medium cutting
- Remove the sand marks of P1000-1200 sand paper
- Remove impressive scars and seriously oxide layer

用途：

- 使用擦拭布对漆面进行清洁，将适量本产品倒于漆面缺陷处
- 使用抛光机，保持均与转速进行粗抛处理
- 待漆面缺陷处处理完毕后使用擦拭布擦拭漆面抛光残留物

Product Purpose

- Clean the paint surface by a soft cloth, applying enough product to the defects
- Use polishing machine to maintain a high rate of cut under constant pressure for rough-polishing
- Wipe off excess using a clean dry cloth until achieving best possible finish

型号：

- HP83系列

Product Series

- HP83XX



至尊美容蜡

Rubbing Compound

性能：

- 去除P1200号及以上砂纸痕
- 抛光效果好、光泽高
- 本品不含硅配方，适合喷漆车间使用

Product Benefits

- Removes grade P1200 and finer sand scratches
- Good polishing effect, high gloss
- This non-silicone formula is suitable for painting workshop use

用途：

- 使用前摇匀
- 倒本品适量于2英尺见方需处理的漆面，用海绵轮将蜡涂匀
- 开动抛光机并在漆面上移动，并逐渐施加压力
- 当粗蜡渐干时减小压力，持续抛光直至漆面光亮

Product Purpose

- Shake well before using
- Apply enough compound to the paint surface to work a two foot by two foot area, by using a foam compounding pad
- Start the machine and buff using light to medium pressure
- Reduce pressure as compound begins to dry, then break down and disappear to achieve best possible finish

型号：

- HP83系列

Product Series

- HP83XX



镜面美容细蜡

Foam Polishing Pad Glaze

性能：

- 去除各种粗、中蜡留下的旋纹
- 去除各种细微划痕
- 收蜡快
- 高光亮度

Product Benefits

- Remove compound swirl marks
- Polish away light paint imperfections
- Quick-drying
- High glossiness

用途：

- 使用前摇匀
- 倒本品适量于2英尺见方需处理的漆面，用镜面专用海绵盘将蜡涂匀
- 当本品变干时，减少压力，持续抛光直至漆面出现高光泽

Product Purpose

- Shake well before using
- Apply enough compound to the paint surface to work a two foot by two foot area, by using a foam compounding pad
- Reduce pressure as compound begins to dry, then break down and disappear to achieve best possible finish.

型号：

- HP83系列

Product Series

- HP83XX



至尊高效蜡(三合一蜡)

Fast Cut Rubbing Compound

性能：

- 漆面粗抛效果好
- 清除漆面遗留砂纸痕、低抛光痕
- 去除划痕、砂纸痕迹并达到上光效果
- 粉尘少

Product Benefits

- Good rough-polishing effect
- Work on fresh or cured automotive paints surfaces leaving a fine compound swirl mark finish
- Remove sand scratches and leaves a fine finish on automotive paints
- Less dust

用途：

- 使用前摇匀
- 倒本品适量于2英尺见方需处理的漆面，用海绵轮将蜡涂匀
- 开动抛光机并在漆面上移动，并逐渐施加压力
- 当粗蜡渐干时减小压力，持续抛光直至漆面光亮

Product Purpose

- Shake well before using
- Apply enough compound to the paint surface to work a two foot by two foot area, by using a foam compounding pad
- Start the machine and buff using light to medium pressure
- Reduce pressure as compound begins to dry, then break down and disappear to achieve best possible finish.

型号：

- HP83系列

Product Series

- HP83XX

